THE JOURNAL OF EXPERIMENTAL MEDICINE

Edited by

Anthony Cerami Zanvil A. Cohn Henry G. Kunkel Maclyn McCarty

Assistant Editors

Allan R. Goldberg Lloyd F. Mayer Carl Nathan Ralph Steinman

Advisory Editors

K. Frank Austen
Dorothy F. Bainton
Baruj Benacerraf
Dorothea Bennett
Rupert E. Billingham
Barry R. Bloom
Constantin A. Bona
Jean-Charles Cerottini
John R. David
Frank J. Dixon
Shu Man Fu
Emil C. Gotschlich
Hidesaburo Hanafusa
Thomas J. Kindt
Seymour J. Klebanoff
Norman R. Klinman
Richard M. Krause
Frank Lilly
Hans J. Müller-Eberhard
Ralph L. Nachman
Robert J. North
Victor Nussenzweig
William E. Paul
Benvenuto Pernis
Robert R. Rich
David H. Sachs
Gene M. Shearer
Jonathan Sprent
Jonathan W. Uhr
William O. Weigle
Darcy B. Wilson
Henry J. Winn
Rolf M. Zinkernagel

VOLUME 159

1984

PUBLISHED MONTHLY BY

THE ROCKEFELLER UNIVERSITY PRESS

Copyright © 1984 by The Rockefeller University Press

CONTENTS

Volume 159 No. 1 January 1, 1984

1 JOHN B. ROTHS, EDWIN D. MURPHY, and EVA M. EICHER. A new mutation, *gld*, that produces lymphoproliferation and autoimmunity in C3H/HeJ mice

21 SUSAN O. SHARROW, LORRAINE FLAHERTY, and DAVID H. SACHS. Serologic cross-reactivity between class I MHC molecules and an H-2–linked differentiation antigen as detected by monoclonal antibodies

41 DAVID R. MILICH, GEERT G. LEROUX-ROELS, ROBERT E. LOUIE, and FRANCIS V. CHISARI. Genetic regulation of the immune response to hepatitis B surface antigen (HBsAg). IV. Distinct H-2–linked Ir genes control antibody responses to different HBsAg determinants on the same molecule and map to the I-A and I-C subregions

57 LEO LEFRANCOIS and MICHAEL J. BEVAN. A reexamination of the role of Lyt-2–positive T cells in murine skin graft rejection

68 JAMES M. KRUEGER, JAMES WALTER, MANFRED L. KARNOVSKY, LOUIS CHEDID, JEAN P. CHOAY, PIERRE LEFRANCIER, and EDGAR LEDERER. Muramyl peptides: variation of somnogenic activity with structure

77 THOMAS R. MOENCH and DIANE E. GRIFFIN. Immunocytochemical identification and quantitation of the mononuclear cells in the cerebrospinal fluid, meninges, and brain during acute viral meningoencephalitis

89 C. DARTE and H. BEAUFAY. Subcellular localization of the PGE_2 synthesis in mouse resident peritoneal macrophages

103 B. XUE, R. COICO, D. WALLACE, G. W. SISKIND, B. PERNIS, and G. J. THORBECKE. Physiology of IgD. IV. Enhancement of antibody production in mice bearing IgD-secreting plasmacytomas

114 MICHAEL P. MURTAUGH, WILLIAM P. AREND, and PETER J. A. DAVIES. Induction of tissue transglutaminase in human peripheral blood monocytes

126 ZENGHUA LIAO, ROBERT S. GRIMSHAW, and DAVID L. ROSENSTREICH. Identification of a specific interleukin 1 inhibitor in the urine of febrile patients

137 CHRISTINE G. POMMIER, JOHN O'SHEA, THOMAS CHUSED, KIM YANCEY, MICHAEL M. FRANK, TSUNEO TAKAHASHI, and ERIC J. BROWN. Studies on the fibronectin receptors of human peripheral blood leukocytes. Morphologic and functional characterization

152 REIKO TAKEMURA and ZENA WERB. Regulation of elastase and plasminogen activator secretion in resident and inflammatory macrophages by receptors for the Fc domain of immunoglobulin G

167 REIKO TAKEMURA and ZENA WERB. Modulation of apoprotein E secretion in response to receptor-mediated endocytosis in resident and inflammatory macrophages

179 ROGER M. PERLMUTTER, JOAN L. KLOTZ, MARTHA W. BOND, MOON NAHM, JOSEPH M. DAVIE, and LEROY HOOD. Multiple V_H gene segments encode murine antistreptococcal antibodies

193 DORIS B. TSE and BENVENUTO PERNIS. Spontaneous internalization of class I major histocompatibility complex molecules in T lymphoid cells

208 PIERRE ÅMAN, BARBRO EHLIN-HENRIKSSON, and GEORGE KLEIN. Epstein-Barr virus susceptibility of normal human B lymphocyte populations

221 TONY N. MARION, ELAINE A. DZIERZAK, HYUN-SOO LEE, RUTH L. ADAMS, and CHARLES A. JANEWAY, JR. Non–dinitrophenyl-binding immunoglobulin that bears a dominant idiotype (Id460) associated with antidinitrophenyl antibody is specific for an antigen on *Pasteurella pneumotropica*

234 JOHN D. TYLER, STEPHEN J. GALLI, MARY E. SNIDER, ANN M. DVORAK, and DAVID STEINMULLER. Cloned Lyt-2^+ cytolytic T lymphocytes destroy allogeneic tissue in vivo

244 R. ALAN B. EZEKOWITZ, R. B. SIM, M. HILL, and S. GORDON. Local opsonization by secreted macrophage complement components. Role of receptors for complement in uptake of zymosan

261 DAVID T. HARRIS, H. ROBSON MACDONALD, and JEAN-CHARLES CEROTTINI. Direct transfer of antigen-specific cytolytic activity to noncytolytic cells upon fusion with liposomes derived from cytolytic T cell clones

276 FRANCIS WIENER, MAGDA BABONITS, URSULA BREGULA, GEORGE KLEIN, ALAIN LÉONARD, JUDITH S. WAX, and MICHAEL POTTER. High resolution banding analysis of the involvement of strain BALB/c- and AKR-derived chromosomes no. 15 in plasmacytoma-specific translocations

292 STEVE BOGEN, EDNA MOZES, and SARA FUCHS. Induction of acetylcholine receptor-specific suppression. An in vitro model of antigen-specific immunosuppression in myasthenia gravis

305 STANLEY J. WATERS, SAMUEL D. WAKSAL, GERARD P. NORTON, and CONSTANTIN A. BONA. Antigen recognition by a T cell clone outside the context of the major histocompatibility complex. A role for M1s in antigen presentation

BRIEF DEFINITIVE REPORTS

313 F. L. OWEN and R. RIBLET. Genes for the mouse T cell alloantigens Tpre, Tthy, Tind, and Tsu are closely linked near *Igh* on chromosome 12

318 DUNIA RAMARLI, BARBARA PARODI, MARINA FABBI, GIORGIO CORTE, and ANTONIO LAZAVECCHIA. The same human alloreactive T cell clone can help both B lymphocytes and specific cytotoxic precursors

324 CRAIG A. SMITH, CARL-WILHELM VOGEL, and HANS J. MÜLLER-EBERHARD. Major histocompatibility complex class III products. An electron microscope study of the C3 convertases of human complement

330 DAVID T. HARRIS, H. ROBSON MACDONALD, and JEAN-CHARLES CEROTTINI. Antigen recognition by H-2–restricted cytolytic T lymphocytes is not mediated by two independent receptors

337 CORRECTION

Volume 159 No. 2 February 1, 1984

i HENRY G. KUNKEL, 1916–1983

341 T. J. BRACIALE, V. L. BRACIALE, T. J. HENKEL, J. SAMBROOK, and M.-J. GETHING. Cytotoxic T lymphocyte recognition of the influenza hemagglutinin gene product expressed by DNA-mediated gene transfer

355 JACQUES VAN SNICK, JEAN-PAUL COUTELIER, EMIEL VAN ROOST, and JEAN-LOUIS GUÉNET. Rheumatoid factors in 129XB recombinant inbred strains. Igh-1-linked control of allotypic and isotypic specificities

365 URSULA KEES and PETER H. KRAMMER. Most influenza A virus-specific memory cytotoxic T lymphocytes react with antigenic epitopes associated with internal virus determinants

378 ROBERTO S. ACCOLLA. Analysis of the structural heterogeneity and polymorphism of human Ia antigens. Four distinct subsets of molecules are coexpressed in the Ia pool of both DR 1,1 homozygous and DR 3,W6 heterozygous B cell lines

394 GERALD T. NEPOM, BARBARA S. NEPOM, PAOLO ANTONELLI, ERIC MICKELSON, JACK SILVER, SANNA M. GOYERT, and JOHN A. HANSEN. The HLA-DR4 family of haplotypes consists of a series of distinct DR and DS molecules

405 KOHKICHI YAMAMOTO and RICHARD B. JOHNSTON, JR. Dissociation of phagocytosis from stimulation of the oxidative metabolic burst in macrophages

417 GÜNTHER HEINRICH, ANDRÉ TRAUNECKER, and SUSUMU TONEGAWA. Somatic mutation creates diversity in the major group of mouse immunoglobulin κ light chains

436 PAMELA J. FINK, MICHAEL J. BEVAN, and IRVING L. WEISSMAN. Thymic cytotoxic T lymphocytes are primed in vivo to minor histocompatibility antigens

452 M. S. BLAKE and E. C. GOTSCHLICH. Purification and partial characterization of the opacity-associated proteins of *Neisseria gonorrhoeae*

463 GÉRALD J. PRUD'HOMME, ABRAHAM FUKS, ELEANOR COLLE, THOMAS A. SEEMAYER, and RONALD D. GUTTMAN. Immune dysfunction in diabetes-prone BB rats. Interleukin 2 production and other mitogen-induced responses are suppressed by activated macrophages

479 ANJANA RAO, SUSAN J. FAAS, and HARVEY CANTOR. Activation specificity of arsonate-reactive T cell clones. Structural requirements for hapten recognition and comparison with monoclonal antibodies

495 AMITABHA MAZUMDER and STEVEN A. ROSENBERG. Successful immunotherapy of natural killer-resistant established pulmonary melanoma metastases by the intravenous adoptive transfer of syngeneic lymphocytes activated in vitro by interleukin 2

508 STEVEN T. PALS, HELGA GLEICHMANN, and ERNST GLEICHMANN. Allosuppressor and allohelper T cells in acute and chronic graft-vs.-host disease. V. F_1 mice with secondary chronic GVHD contain F_1-reactive allohelper but no allosuppressor T cells

524 W. SLUITER, INE ELZENGA-CLAASEN, ANNELIES VAN DER VOORT VAN DER KLEY-VAN ANDEL, and R. VAN FURTH. Differences in the responses of inbred mouse strains to the factor increasing monocytopoiesis

537 LENNART OLSSON, RINETTE B. ANDREASEN, ÅKE OST, BIRGER CHRISTENSEN, and PETER BIBERFELD. Antibody-producing human-human hybridomas. II. Derivation and characterization of an antibody specific for human leukemia cells

551 THOMAS HÜNIG. Monoclonal anti-Lyt-2.2 antibody blocks lectin-dependent cellular cytotoxicity of H-2-negative target cells

559 ARMAND BENSUSSAN, STEFAN C. MEUER, STUART F. SCHLOSSMAN, and ELLIS L. REINHERZ. Delineation of an immunoregulatory amplifier population recognizing autologous Ia molecules. Analysis with human T cell clones

577 E. L. KHOURY, G. F. BOTTAZZO, and I. M. ROITT. The thyroid "microsomal" antibody revisited. Its paradoxical binding in vivo to the apical surface of the follicular epithelium

592 ANN AGER and JOHN L. GORDON. Differential effects of hydrogen peroxide on indices of endothelial cell function

604 I. F. ROWE, ANNE K. SOUTAR, IRIS M. TRAYNER, MARILYN L. BALTZ, F. C. DE BEER, LOUISE WALKER, D. BOWYER, J. HERBERT, A. FEINSTEIN, and M. B. PEPYS. Rabbit and rat C-reactive proteins bind apolipoprotein B-containing lipoproteins

BRIEF DEFINITIVE REPORTS

617 SHIN-ICHI NISHIKAWA, TATSUO KINA, JUN-ICHIRO GYOTOKU, and YOSHIMOTO KATSURA. High frequency of λ gene activation in bone marrow pre-B cells

623 MARY MCNAMARA and HEINZ KOHLER. Regulatory idiotopes: induction of idiotype-recognizing helper T cells by free light and heavy chains

629 DAVID WOFSY, CHRISTOPHER E. KERGER, and WILLIAM E. SEAMAN. Monocytosis in the BXSB model for systemic lupus erythematosus

635 KENNETH E. BERNSTEIN, EDMUNDO LAMOYI, NANCY MCCARTNEY-FRANCIS, ROSE G. MAGE. Sequence of a cDNA encoding Basilea kappa light chains (K2 isotype) suggests a possible relationship of protein structure to limited expression

641 JEFFREY S. HOFFMAN, LOWELL H. ERICSSON, NILS ERIKSEN, KENNETH A. WALSH, and EARL P. BENDITT. Murine tissue amyloid protein AA: NH_2-terminal sequence identity with only one of two serum amyloid protein (ApoSAA) gene products

647 LINDA ANDRUS, ANGELA GRANELLI-PIPERNO, and E. REICH. Cytotoxic T cells both produce and respond to interleukin 2

Volume 159 No. 3 March 1, 1984

655 RONALD C. KENNEDY and GORDON R. DREESMAN. Enhancement of the immune response to hepatitis B surface antigen: in vivo administration of antiidiotype induces anti-HBs that expresses a similar idiotype

666 MARCUS A. HORWITZ, WILLIAM R. LEVIS, and ZANVIL A. COHN. Defective production of monocyte-activating cytokines in lepromatous leprosy

679 GARY VAN ZANT. Studies of hematopoietic stem cells spared by 5-fluorouracil

691 THOMAS R. DYKMAN, JULIE A. HATCH, and JOHN P. ATKINSON. Polymorphism of the human C3b/C4b receptor: identification of a third allele and analysis of receptor phenotypes in families and patients with systemic lupus erythematosus

704 JOHN G. FRELINGER, MINORU SHIGETA, ANTHONY J. INFANTE, PATRICIA A. NELSON, MICHEL PIERRES, and C. GARRISON FATHMAN. Multiple functional sites on a single Ia molecule defined using T cell clones and antibodies with chain-determined specificity

716 KURT C. GUNTER, THOMAS R. MALEK, and ETHAN M. SHEVACH. T cell–activating properties of an anti–Thy-1 monoclonal antibody: possible analogy to OKT3/Leu-4

731 ROGER A. FLEISCHMAN and BEATRICE MINTZ. Development of adult bone marrow stem cells in H-2-compatible and -incompatible mouse fetuses

746 JOHN D. LOIKE, VIRGINIA F. KOZLER, and SAMUEL C. SILVERSTEIN. Creatine kinase expression and creatine phosphate accumulation are developmentally regulated during differentiation of mouse and human monocytes

758 CHRISTA E. MÜLLER and KLAUS RAJEWSKY. Idiotope regulation by isotype switch variants of two monoclonal antiidiotope antibodies

773 STEPHEN H. CLARKE and STUART RUDIKOFF. Evidence for gene conversion among immunoglobulin heavy chain variable-region genes

783 WILLIAM E. BIDDISON, PATRICIA E. RAO, MARY ANNE TALLE, GIDEON GOLDSTEIN, and STEPHEN SHAW. Possible involvement of the T4 molecule in T cell recognition of class II HLA antigens: evidence from studies of CTL–target cell binding

798 HIROSHI KIYONO, MAX D. COOPER, JOHN F. KEARNEY, LISA M. MOSTELLER, SUZANNE M. MICHALEK, WILLIAM J. KOOPMAN, and JERRY R. MCGHEE. Isotype specificity of helper T cell clones: Peyer's patch Th cells preferentially collaborate with mature IgA B cells for IgA responses

812 LLOYD P. SVEDERSKY, CHARLES V. BENTON, WENDY H. BERGER, ERNST RINDERKNECHT, RICHARD N. HARKINS, and MICHAEL A. PALLADINO. Biological and antigenic similarities of murine interferon-γ and macrophage-activating factor

828 DONNA S. STONE-WOLFF, YUM K. YIP, HANNA CHROBOCZEK KELKER, JUNMING LE, DOROTHY HENRIKSEN-DESTEFANO, BERISH Y. RUBIN, ERNST RINDERKNECHT, BHARAT B. AGGARWAL, and JAN VILČEK. Interrelationships of human interferon-gamma with lymphotoxin and monocyte cytotoxin

844 ZVI MAROM, JAMES H. SHELHAMER, and MICHAEL KALINER. Human pulmonary macrophage-derived mucus secretagogue

861 ANTHONY L. DEFRANCO, JONATHAN D. ASHWELL, RONALD H. SCHWARTZ, AND WILLIAM E. PAUL. Polyclonal stimulation of resting B lymphocytes by antigen-specific T lymphocytes

881 JONATHAN D. ASHWELL, ANTHONY L. DEFRANCO, WILLIAM E. PAUL, and RONALD H. SCHWARTZ. Antigen presentation by resting B cells: radiosensitivity of the antigen-presentation function and two distinct pathways of T cell activation

906 CAROL L. REINISCH, AMY P. SING, E. RENA BACON, RONALD B. CORLEY, and RICHARD K. GERSHON. Regulation of B cell lymphomagenesis by a malignant Qal^+ inducer T cell clone

921 ALESSANDRO MORETTA, GIUSEPPE PANTALEO, MARIA CRISTINA MINGARI, LORENZO MORETTA, and JEAN-CHARLES CEROTTINI. Clonal heterogeneity in the requirement for T3, T4, and T8 molecules in human cytolytic T lymphocyte function

935 RONALD H. GOLDFARB, TUOMO TIMONEN, and RONALD B. HERBERMAN. Production of plasminogen activator by human natural killer cells: large granular lymphocytes

952 ALAN SHER, DAVID L. SACKS, ANDREW J. G. SIMPSON, and ALFRED SINGER. Dichotomy in the tissue origin of schistosome acquired class I and class II major histocompatibility complex antigens

958 PETER D'EUSTACHIO, BENNETT FEIN, JAMES MICHAELSON, and BENJAMIN A. TAYLOR. The α-globin pseudogene on mouse chromosome 17 is closely linked to H-2

964 GEORGE J. CIANCIOLO, DONNA PHIPPS, and RALPH SNYDERMAN. Human malignant and mitogen-transformed cells contain retroviral P15E-related antigen

Volume 159 No. 4 April 1, 1984

971 MASATAKA KASAI, TOHRU TAKASHI, TOSHITADA TAKAHASHI, and TOHRU TOKUNAGA. A new differentiation antigen (FT-1) shared with fetal thymocytes and leukemic cells in the mouse

981 YOSHINARI TAKASAKI, DIANE FISHWILD, and ENG M. TAN. Characterization of proliferating cell nuclear antigen recognized by autoantibodies in lupus sera

993 JOSEPH H. PHILLIPS, AN MY LE, and LEWIS L. LANIER. Natural killer cells activated in a human mixed lymphocyte response culture identified by expression of Leu-11 and class II histocompatibility antigens

1009 ERIC G. NEILSON, EILEEN MCCAFFERTY, S. MICHAEL PHILLIPS, MICHAEL D. CLAYMAN, and CAROLYN J. KELLY. Antiidiotypic immunity in interstitial nephritis. II. Rats developing anti–tubular basement membrane disease fail to make an antiidiotypic regulatory response: the modulatory role of an $RT7.1^+$, $OX8^-$ suppressor T cell mechanism

1027 D. W. GOLDMAN and E. J. GOETZL. Heterogeneity of human polymorphonuclear leukocyte receptors for leukotriene B_4. Identification of a subset of high affinity receptors that transduce the chemotactic response

1042 BETTY P. TSAO, DARYL S. FAIR, LINDA K. CURTISS, and THOMAS S. EDGINGTON. Monocytes can be induced by lipopolysaccharide-triggered T lymphocytes to express functional factor VII/VIIa protease activity

1058 C. R. K. HIND, P. M. COLLINS, D. RENN, R. B. COOK, D. CASPI, MARILYN L. BALTZ, and M. B. PEPYS. Binding specificity of serum amyloid P component for the pyruvate acetal of galactose

1070 GEORGE DRIZLIKH, JOSEPHA SCHMIDT-SOLE, and BORIS YANKELEVICH. Involvement of the K and I regions of the H-2 complex in resistance to hemopoietic allografts

1083 V. A. FISCHETTI, K. F. JONES, B. N. MANJULA, and J. R. SCOTT. Streptococcal M6 protein expressed in *Escherichia coli*. Localization, purification, and comparison with streptococcal-derived M protein

1096 MASARU TANIGUCHI, TAKESHI TOKUHISA, TOSHIHIRO ITOH, and MASAMOTO KANNO. Functional roles of two polypeptide chains that compose an antigen-specific suppressor T cell factor

1105 MASATOSHI TATENO, NOBUO KONDO, TETSUO ITOH, TSUGIHIKO CHUBACHI, TAKEHIRO TOGASHI, and TAKASHI YOSHIKI. Rat lymphoid cell lines with human T cell leukemia virus production. I. Biological and serological characterization

1117 THOMAS J. PALKER, RICHARD M. SCEARCE, SARA E. MILLER, MIKOLAS POPOVIC, DANI P. BOLOGNESI, ROBERT C. GALLO, and BARTON F. HAYNES. Monoclonal antibodies against human T cell leukemia-lymphoma virus (HTLV) p24 internal core protein. Use as diagnostic probes and cellular localization of HTLV

1132 JOHN P. DALEY and ICHIRO NAKAMURA. Natural resistance of lethally irradiated F_1 hybrid mice to parental marrow grafts is a function of H-2/Hh-restricted effectors

1149 BARTON F. HAYNES, RICHARD M. SCEARCE, DAVID F. LOBACH, and LUCINDA L. HENSLEY. Phenotypic characterization and ontogeny of mesodermal-derived and endocrine epithelial components of the human thymic microenvironment

1169 R. R. HARDY, K. HAYAKAWA, D. R. PARKS, L. A. HERZENBERG, and L. A. HERZENBERG. Murine B cell differentiation lineages

1192 DAVID H. SHERR and MARTIN E. DORF. An idiotype-specific helper population that bears immunoglobulin, Ia, and Lyt-1 determinants

1201 ELLEN WHITNACK, JAMES B. DALE, and EDWIN H. BEACHEY. Common protective antigens of group A streptococcal proteins masked by fibrinogen

1213 JULIA L. GREENSTEIN, JOHN KAPPLER, PHILIPPA MARRACK, and STEVEN J. BURAKOFF. The role of L3T4 in recognition of Ia by a cytotoxic, H-2D^d-specific T cell hybridoma

1225 ROBIN E. CALLARD, CARRIE M. WINGER, and SHANE L. TIERNAN. Antigen-specific suppression of human antibody responses by allogeneic T cells. I. Frequency and antigen specificity of allogeneic suppressor T cells and their role in major histocompatibility complex-controlled genetic restriction

1238 KENNETH L. ROCK and BARUJ BENACERRAF. Selective modification of a private I-A allo stimulating determinant(s) upon association of antigen with an antigen-presenting cell

1253 DANIÉLÉ PRIMI and PIERRE-ANDRÉ CAZENAVE. The B cell repertoire revealed by major histocompatibility complex-specific helper T cells. I. Frequencies of a genetically defined V region marker among mitogen- and T helper cell–reactive B lymphocytes in normal and immunized mice

1270 GERARDO R. VASTA, JOHN J. MARCHALONIS, and HEINZ KOHLER. Invertebrate recognition protein cross-reacts with an immunoglobulin idiotype

BRIEF DEFINITIVE REPORTS

1277 HARUMI JYONOUCHI and PAUL W. KINCADE. Precocious and enhanced functional maturation of B lineage cells in New Zealand black mice during embryonic development

1283 THOMAS L. ROTHSTEIN, RICHARD A. MILLER, DEBRA J. PARKER, ENID KELLY, A. PAUL VASTOLA, and ANN MARSHAK-ROTHSTEIN. Induction of idiotope suppression in the anti-azophenylarsonate response of T-depleted A/J mice

1289 LIANA SCHLESINGER, ROBERT A. MUSSON, and RICHARD B. JOHNSON, JR. Functional and biochemical studies of multinucleated giant cells derived from the culture of human monocytes

Volume 159 No. 5 May 1, 1984

1295 ROBERT J. NORTH and ISIA BURSUKER. Generation and decay of the immune response to a progressive fibrosarcoma. I. Ly-1^+2^- suppressor T cells down-regulate the generation of Ly-1^-2^+ effector T cells

1312 ISIA BURSUKER and ROBERT J. NORTH. Generation and decay of the immune response to a progressive fibrosarcoma. II. Failure to demonstrate postexcision immunity after the onset of T cell-mediated suppression of immunity

1322 PAOLO CASALI, GEORGE P. A. RICE, and MICHAEL B. A. OLDSTONE. Viruses disrupt functions of human lymphocytes: effects of measles virus and influenza virus on lymphocyte-mediated killing and antibody production

1338 MICHAEL V. SEIDEN, BRIAN CLEVINGER, SEAMUS MCMILLAN, ANTOINE SROUJI, RICHARD LERNER, and JOSEPH M. DAVIE. Chemical synthesis of idiotopes: evidence that antisera to the same JH_1 peptide detect multiple binding site-associated idiotopes

1351 GARY K. SCHOOLNIK, ROSEMARY FERNANDEZ, JOSEPH Y. TAI, JONATHAN ROTHBARD, and E. C. GOTSCHLICH. Gonoccal pili: primary structure and receptor binding domain

1371 DONALD A. HARN, MASAO MITSUYAMA, and JOHN R. DAVID. *Schistosoma mansoni*: anti-egg monoclonal antibodies protect against cercarial challenge in vivo

1388 NOBUHIRO KAIBARA, TAKAO HOTOKEBUCHI, KENJI TAKAGISHI, ICHIRO KATSUKI, MASAHIRO MORINAGA, CHIKAFUMI ARITA, and SEIYA JINGUSHI. Pathogenetic difference between collagen arthritis and adjuvant arthritis

1397 JONATHAN KAYE and CHARLES A. JANEWAY, JR. The Fab fragment of a directly activating monoclonal antibody that precipitates a disulfide-linked heterodimer from a helper T cell clone blocks activation by either allogeneic Ia or antigen and self-Ia

1413 PATRICK M. FLOOD and DIANE C. LOUIE. Mechanism of Ly2 suppressor cell activity: activation of an Lyl $I\text{-}J^+$ cell is required to transduce the suppressive signal

1429 ROBERT L. RUBIN, ROBERT S. BALDERAS, ENG M. TAN, FRANK J. DIXON, and ARGYRIOS N. THEOFILOPOULOS. Multiple autoantigen binding capabilities of mouse monoclonal antibodies selected for rheumatoid factor activity

1441 PAMELA MESSER PETERS, MICHAEL E. KAMARCK, MARTIN E. HEMLER, JACK L. STROMINGER, and FRANK H. RUDDLE. Genetic and biochemical characterization of human lymphocyte cell surface antigens: the A-1A5 and A-3A4 determinants

1455 KAREN A. HASTY, MARGARET S. HIBBS, ANDREW H. KANG, and CARLO L. MAINARDI. Heterogeneity among human collagenases demonstrated by monoclonal antibody that selectively recognizes and inhibits human neutrophil collagenase

1464 R. B. LEVY, S. K. DOWER, G. M. SHEARER, and D. M. SEGAL. Trinitrophenyl modification of $H\text{-}2^k$ and $H\text{-}2^b$ spleen cells results in enhanced serological detection of K^k-like determinants

1473 SUSAN RICH, MARY ROSE CARPINO, and CHRIS ARHELGER. Suppressor T cell growth and differentiation: identification of a cofactor required for suppressor T cell function and distinct from interleukin 2

1491 PHILIP FROST, ROBERT G. LITEPLO, TERRENCE P. DONAGHUE, and ROBERT S. KERBEL. Selection of strongly immunogenic "tum^-" variants from tumors at high frequency using 5-azacytidine

1502 POJEN P. CHEN, SHERMAN FONG, DAVID NORMANSELL, RICHARD A. HOUGHTEN, JAMES G. KARRAS, JOHN H. VAUGHAN, and DENNIS A. CARSON. Delineation of a cross-reactive idiotype on human autoantibodies with antibody against a synthetic peptide

1512 ROBERT W. KARR, CAROL ALBER, SANNA M. GOYERT, JACK SILVER, and RENE J. DUQUESNOY. The complexity of HLA-DS molecules: a homozygous cell line expresses multiple HLA-DS alpha chains

1532 EDWIN B. WALKER, VERNON MAINO, MARY SANCHEZ-LANIER, NOEL WARNER, and CARLETON STEWART. Murine gamma interferon activates the release of a macrophage-derived Ia-inducing factor that transfers Ia inductive capacity

BRIEF DEFINITIVE REPORTS

1548 RANDALL A. ALLARDYCE. Effect of ingested sperm on fecundity in the rat

1554 JOHN GORDON, STEVEN C. LEY, MARK D. MELAMED, PIERRE ÅMAN, and NEVIN C. HUGHES-JONES. Soluble factor requirements for the autostimulatory growth of B lymphoblasts immortalized by Epstein-Barr virus

1560 GEORGE L. SPITALNY and EDWARD A. HAVELL. Monoclonal antibody to murine gamma interferon inhibits lymphokine-induced antiviral and macrophage tumoricidal activities

Volume 159 No. 6 June 1, 1984

1567 JAMES H. LEECH, JOHN W. BARNWELL, LOUIS H. MILLER, and RUSSELL J. HOWARD. Identification of a strain-specific malarial antigen exposed on the surface of *Plasmodium falciparum*-infected erythrocytes

1576 J. W. M. VISSER, J. G. J. BAUMAN, A. H. MULDER, J. F. ELIASON, and A. M. DE LEEUW. Isolation of murine pluripotent hemopoietic stem cells

1591 WILLIAM J. BRITT, BRUCE CHESEBRO, and JOHN L. PORTIS. Identification of a unique erythroleukemia-associated retroviral gp70 expressed during early stages of normal erythroid differentiation

1604 KAREN K. KLYCZEK, HARVEY CANTOR, and COLLEEN E. HAYES. T cell surface I-J glycoprotein: concerted action of chromosome-4 and -17 genes forms an epitope dependent on -D-mannosyl residues

1618 HARRY R. HILL, ANN O. SHIGEOKA, NANCY H. AUGUSTINE, DAVID PRITCHARD, JOHN L. LUNDBLAD, and RICHARD S. SCHWARTZ. Fibronectin enhances the opsonic and protective activity of monoclonal and polyclonal antibody against group B streptococci

1629 RICHARD A. JACKSON, JOHN B. BUSE, RANIA RIFAI, DWAYNE PELLETIER, EDGAR L. MILFORD, CHARLES B. CARPENTER, GEORGE S. EISENBARTH, and R. MICHAEL WILLIAMS. Two genes required for diabetes in BB rats: evidence from cyclical intercrosses and backcrosses

1637 G. SCALA, Y. D. KUANG, R. E. HALL, A. V. MUCHMORE, and J. J. OPPENHEIM. Accessory cell function of human B cells. I. Production of both interleukin 1–like activity and an interleukin 1 inhibitory factor by an EBV-transformed human B cell line

1653 JEAN-DOMINIQUE VASSALLI, JEAN-MICHEL DAYER, ANNELISE WOHLWEND, and DOMINIQUE BELIN. Concomitant secretion of prourokinase and of a plasminogen activator–specific inhibitor by cultured human monocytes-macrophages

1669 M. EDWARD MEDOF and VICTOR NUSSENZWEIG. Control of the function of substrate-bound C4b-C3b by the complement receptor CR1

1686 HEDVIG PERLMANN, KLAVS BERZINS, MATS WAHLGREN, JAN CARLSSON, ANDERS BJÖRKMAN, MANUEL E. PATARROYO, AND PETER PERLMANN. Antibodies in malarial sera to parasite antigens in the membrane of erythrocytes infected with early asexual stages of *Plasmodium falciparum*

1705 EILEEN REMOLD-O'DONNELL, DIANNE M. KENNEY, ROBERTSON PARKMAN, LLOYD CAIRNS, BEVERLEY SAVAGE, and FRED S. ROSEN. Characterization of a human lymphocyte surface sialoglycoprotein that is defective in Wiskott-Aldrich syndrome

1724 JAMES FORMAN, ROY RIBLET, KATHRYN BROOKS, ELLEN S. VITETTA, and LEE A. HENDERSON. H-40, an antigen controlled by an *Igh*-linked gene and recognized by cytotoxic T lymphocytes. I. Genetic analysis of *H-40* and distribution of its product on B cell tumors

1741 BARBARA R. JASNY, LAWRENCE M. PFEFFER, and IGOR TAMM. Effects of β-interferon on human fibroblasts at different population doubling levels: proliferation, cell volume, thymidine uptake, and DNA synthesis

1750 HARVEY S. AUERBACH, ROBERT D. BAKER, WALLACE J. MATTHEWS, JR., and HARVEY R. COLTEN. Molecular mechanism for feedback regulation of C4 biosynthesis in guinea pig peritoneal macrophage

1762 SHINSUKE OHNO, SHUNSUKE MIGITA, FRANCIS WIENER, MAGDA BABONITS, GEORGE KLEIN, J. FREDERIC MUSHINSKI, and MICHAEL POTTER. Chromosomal translocations activating *myc* sequences and transduction of v-*abl* are critical events in the rapid induction of plasmacytomas by pristane and Abelson virus

BRIEF DEFINITIVE REPORTS

1778 H. C. J. ERTL, E. HOMANS, S. TOURNAS, AND R. W. FINBERG. Sendai virus–specific T cell clones. V. Induction of a virus-specific response by antiidiotypic antibodies directed against a T helper cell clone

1784 BEATRIX VOLC-PLATZER, OTTO MAJDIC, WALTER KNAPP, KLAUS WOLFF, WOLFGANG HINTERBERGER, KLAUS LECHNER, and GEORG STINGL. Evidence of HLA-DR antigen biosynthesis by human keratinocytes in disease

1790 WILLIAM T. LEE and DANIEL H. CONRAD. The murine lymphocyte receptor for IgE. II. Characterization of the multivalent nature of the B lymphocyte receptor for IgE

1796 B. SUBBARAO and D. E. MOSIER. Activation of B lymphocytes by monovalent anti-Lyb-2 antibodies